

FIG. 1

CONVENTIONAL ART




FIG. 2

CONVENTIONAL ART




FIG. 3

	EH_TYPE (4 BITS)	EH_LEN (4 BITS)	EH_VALUE (0~15 BYTE)
EH_TYPE DESCRIPTION	EH_TYPE	EH_LEN	EH_VALUE
NULL CONFIGURATION SETTING	0	0	
REQUEST	1	3	EH_VALUE
ACKNOWLEDGE REQUESTED	2	2	EH_VALUE
⋮			
PAYLOAD HEADER SUPPRESSION(DOWN)	5	1	PHSI(1 BYTE)
PAYLOAD HEADER SUPPRESSION(UP)	6	1	PHSI(1 BYTE)
PAYLOAD HEADER SUPPRESSION(UP)UGS	6	2	PHSI(1 BYTE) EH_ VALUE
RESERVED	7-9		EH_VALUE
⋮			
EXTENDED EH ELEMENT	15	XX	EH_VALUE

FIG. 4

EH_TYPE DESCRIPTION	EH_TYPE	EH_LEN	EH_VALUE
PAYLOAD HEADER SUPPRESSION RULE CHANGE(SENDER)	7	1	PHSI(1 BYTE)
PAYLOAD HEADER SUPPRESSION RULE CHANGE(RECEIVER)	8	1	PHSI(1 BYTE)

FIG. 5




FIG. 6

